

Abell, Robin,M.L. Thieme,C. Revenga,M. Bryer,M. Kottelat,N. Bogutskaya,B. Coad,N. Mandrak,S.C. Balderas,W. Bussing,M.L.J. Stiassny,P. Skelton,G.R. Allen,P. Unmack,A. Naseka,R. Ng,N. Sindorf,J. Robertson,E. Armijo,J.V. Higgins,T.J. Heibel,E. Wikramanayake, (2008). "Freshwater Ecoregions of the World: A New Map of Biogeographic Units for Freshwater Biodiversity Conservation" BioScience 58(5) 403-414.

Adams, P. B. (1980). Life history patterns in marine fishes and their consequences for fisheries management. Fishery Bulletin, 78(1), 1-12.

Adams, S.B., S.T. Ross, M.L. Warren, Jr. 2000. Literature review, information needs assessment, and research proposal for Gulf sturgeon, Alabama shad, and American eel: diadromous fishes of U.S. Forest Service Region 8. In: G. Contreras (ed.). U.S. Department of Agriculture, U.S. Forest Service, Washington, D.C.

Ahas, R., & Aasa, A. (2006). The effects of climate change on the phenology of selected Estonian plant, bird and fish populations. International Journal of Biometeorology, 51(1), 17-26.

American Rivers (2015). Full list of dams removed between 1999 and 2015.

https://s3.amazonaws.com/american-rivers-website/wp-content/uploads/2016/12/06105701/Dams_Removed_1999-20151.pdf

Anderson, J. J., Gurarie, E., Bracis, C., Burke, B. J., & Laidre, K. L. (2013). Modeling climate change impacts on phenology and population dynamics of migratory marine species. Ecological Modelling, 264, 83-97.

Aprahamian, M. W., Aprahamian, C. D., & Knights, A. M. (2010). Climate change and the green energy paradox: the consequences for twaite shad *Alosa fallax* from the River Severn, UK. Journal of fish biology, 77(8), 1912-1930.

Ardón, M., & Bernhardt, E. S. (2009). Restoring rivers and streams. eLS.

ASMFC (Atlantic States Marine Fisheries Commission). 1998. American shad stock assessment: peer-reviewed report. ASFMC, Washington, D.C.

Bailey, M. M., J. J. Isely, and W. C. Bridges. 2004. Movement and population size of American shad near a low-head lock and dam. Transactions of the American Fisheries Society 133:300–308.

Bailey, R. M., Winn, H. E., & Smith, C. L. (1954). Fishes from the Escambia River, Alabama and Florida, with ecologic and taxonomic notes. Proceedings of the Academy of Natural Sciences of Philadelphia, 109-164.

- Barko, V. A., Herzog, D. P., Hrabik, R. A., & Scheibe, J. S. (2004). Relationship among fish assemblages and main-channel-border physical habitats in the unimpounded upper Mississippi River. *Transactions of the American Fisheries Society*, 133(2), 371-384.
- Barkuloo, J., M. Mettee, and L. Jenkins. 1993. Systematic and population status of Alabama shad in rivers tributary to the Gulf of Mexico. Report to U.S. Fish and Wildlife Service.
- Beitinger, T.L., W.A. Bennett, and R.W. McCauley. 2000. Temperature tolerances of North American freshwater fishes exposed to dynamic changes in temperature. *Environ Biol Fishes* 58:237-275.
- Bernhardt, E. S., Palmer, M. A., Allan, J. D., Alexander, G., Barnas, K., Brooks, S., & Galat, D. (2005). Synthesizing US river restoration efforts. *Science*, 308(5722), 636-637.
- Born SM, Genskow KD, Filbert TL, Hernandez-Mora N, Keefer ML, White KA. 1998. Socioeconomic and institutional dimensions of dam removal: The Wisconsin experience. *Environmental Management* 22 359-370.
- Boschung, H. T. (1992). Catalogue of freshwater and marine fishes of Alabama. *Bulletin/Alabama Museum of Natural History (USA)*.
- Bouzat, J. L. (2010). Conservation genetics of population bottlenecks: the role of chance, selection, and history. *Conservation Genetics*, 11(2), 463-478.
- Bowen, B. R., Kreiser, B. R., Mickle, P. F., Schaefer, J. F., & Adams, S. B. (2008). Phylogenetic relationships among North American *Alosa* species (Clupeidae). *Journal of Fish Biology*, 72(5), 1188-1201.
- Bowen, B.R. 2005. Alabama shad phylogeography. M.S. Thesis. University of Southern Mississippi. Hattiesburg, pp 95.
- Brooks, R.C., J.E. Garvey, M. Hill, S.J. Tripp, and H.A. Calkins. 2009. Fish Passage in the Upper Mississippi River System. Southern Illinois University. Carbondale, IL. February, 24, 2009.
- Brown, D. J., & Coon, T. G. (1994). Abundance and assemblage structure of fish larvae in the lower Missouri River and its tributaries. *Transactions of the American Fisheries Society*, 123(5), 718-732.
- Buchanan, T. M., D. J. Nichols, Turman, D., Dennis, C., Wooldridge, S., & Hobbs, B. (1999). Occurrence and reproduction of the Alabama shad, *Alosa alabamae* Jordan and Evermann, in the Ouachita River system of Arkansas. *Journal of the Arkansas Academy of Science*, 53.

- Buchanan, T. M., Layher, W. G., McAllister, C. T., & Robison, H. W. (2012). The Alabama Shad (*Alosa alabamae*: clupeiformes: clupeidae) in the White River, Arkansas. *The Southwestern Naturalist*, 57(3), 347-349.
- Buchanan, T. M., Wilson, D., Claybrook, L. G., & Layher, W. G. (2003). Fishes of the Red River in Arkansas. *Journal of the Arkansas Academy of Science*, 57, 18-26.
- Burr, M. B., Sipiorski, J. T., Thomas, M. R., Cummings, K. S., & Taylor, C. A. (2004). Fishes, mussels, crayfishes, and aquatic habitats of the Hoosier-Shawnee Ecological Assessment Area.
- Byström, P., Persson, L., Wahlström, E. & Westman, E. 2003. Size- and density-dependent habitat use in predators: consequences for habitat shifts in young fish. *Journal of Animal Ecology* 72: 156–168.
- Carter, B. T. (1954). The movement of fishes through navigation lock chambers in the Kentucky River.
- Castro-Santos, T., Cotel, A. L. I. N. E., & Webb, P. W. (2009). Fishway evaluations for better bioengineering: an integrative approach. In Challenges for diadromous fishes in a dynamic global environment. American Fisheries Society, Symposium (Vol. 69, pp. 557-575).
- Caughley, G., and A. Gunn. 1996. Conservation biology in theory and practice. Blackwell Science; Cambridge, Massachusetts. 459p.
- Chakrabarty, P., Lam, C., Hardman, J., Aaronson, J., House, P. H., & Janies, D. A. (2012). SpeciesMap: a web-based application for visualizing the overlap of distributions and pollution events, with a list of fishes put at risk by the 2010 Gulf of Mexico oil spill. *Biodiversity and Conservation*, 21(7), 1865-1876.
- Coker, R. E. (1929). Keokuk Dam and the fisheries of the upper Mississippi River (No. 1063). US Government Printing Office.
- Coker, R.E. (1930). Studies of common fishes of the Mississippi River at Keokuk. Bureau of Commercial Fisheries Document 1072: 164–225.
- Cole, D. and W.B. Carver. (2011). Interbasin Transfers of Water. Proceedings of the 2011 Georgia Water Resources Conference, held April 11–13, 2011, at the University of Georgia.
- Congressional Budget Office (CBO). 2006. How Federal Policies Affect the Allocation of Water. August 2006.

- Connor, J.V., C.H. Pennington, and T.R. Bosley. 1983. Larval fishes of selected aquatic habitats on the Lower Mississippi River. Technical Report E-83-4, U.S. Army Engineer Waterways Experiment Station, CE, Vicksburg, MS.
- Cooper, A.B., and M. Mangel. 1999. The dangers of ignoring metapopulation structure for the conservation of salmonids. *Fishery Bulletin US* 97:213226.
- Cross, F., & Moore, G. (1952). The Fishes of the Poteau River, Oklahoma and Arkansas. *The American Midland Naturalist*, 47(2), 396-412. doi:1. Retrieved from <http://www.jstor.org/stable/2422269> doi:1
- Crowder, L. B., & Murawski, S. A. (1998). Fisheries bycatch: implications for management. *Fisheries*, 23(6), 8-17.
- Cummings, R., Brazier, M., Hutchinson, M., and H. Park. 2003. Industrial Water Use/Discharge Statistics. Water Policy Working Paper #2003-009. Georgia Water Planning and Policy Center, Andrew Young School of Policy Studies, Georgia State University, Atlanta, Georgia, May 2003.
- Daniels, W.C. 1860. Letters Referring to Experiments of W.C. Daniels, M.D. in Introducing Shad into the Alabama River. Letter to S.F. Baird. January 9, 1860. MS. Decatur, Georgia.
- Doyle, M. W., Stanley, E. H., Harbor, J. M., & Grant, G. S. (2003). Dam removal in the United States: emerging needs for science and policy. *Eos*, 84(4), 29-36.
- Dwyer, F. J., Mayer, F. L., Sappington, L. C., Buckler, D. R., Bridges, C. M., Greer, I. E., ... & Whites, D. W. (2005). Assessing contaminant sensitivity of endangered and threatened aquatic species: Part I. Acute toxicity of five chemicals. *Archives of environmental contamination and toxicology*, 48(2), 143-154.
- Dyer, H. P. (2007). Seasonal fish assemblages of Bayou Lafourche upstream and downstream of the Thibodaux weir (Doctoral dissertation, Faculty of Nicholls State University in Partial Fulfillment of the Requirements for the Degree Master of Science in Marine and Environmental Biology By Heather Pace Dyer Bachelor of Science, University of Louisiana at Lafayette).\\
- Dynesius, M., and C. Nilsson. 1994. Fragmentation and flow regulation of river systems in the northern third of the world. *Science* 266, p. 753–762.
- Elliott, M., & Quintino, V. (2007). The estuarine quality paradox, environmental homeostasis and the difficulty of detecting anthropogenic stress in naturally stressed areas. *Marine Pollution Bulletin*, 54(6), 640-645.

Ellis, D., & Vokoun, J. C. (2009). Earlier spring warming of coastal streams and implications for alewife migration timing. North American Journal of Fisheries Management, 29(6), 1584-1589.

Ely, P.C., Young, S.P., and Isely, J.J. 2008. Population Size and Relative Abundance of Adult Alabama Shad Reaching Jim Woodruff Lock and Dam, Apalachicola River, Florida. North American Journal of Fisheries Management. 28: 827-831.

Environmental Protection Agency (EPA). 2001. National Coastal Condition Report I. EPA-620/R-01/005. September 2001.

<http://water.epa.gov/type/oceb/assessmonitor/nccr/downloads.cfm>

EPA. 2005. National Coastal Condition Report II. EPA-620/R-03/002. January 2005.

http://water.epa.gov/type/oceb/2005_downloads.cfm

EPA. 2008. National Coastal Condition Report III. EPA-842-R-08-002. December 2008.

<http://water.epa.gov/type/oceb/assessmonitor/downloads.cfm>

EPA. 2012. National Coastal Condition Report IV. EPA-842-R-10-003. April 2012.

<http://water.epa.gov/type/oceb/assessmonitor/nccr/index.cfm>

EPA. 2014a. Mercury: Basic Information. December 29, 2014.

<http://www.epa.gov/mercury/about.htm>

EPA. 2014b. Mercury: Environmental Effects. December 29, 2014.

<http://www.epa.gov/mercury/eco.htm>

EPA. 2016. Ecosystems Research: Ecoregions. <https://www.epa.gov/eco-research/ecoregions>

Etnier, D.A. 1997. Jeopardized southeastern freshwater fishes: a search for causes. In G.W. Benz and D.E. Collins (eds.) Aquatic Fauna in Peril: the Southeastern Perspective. Southeast Aquatic Research Institute Special Publication 1. Lenz Design and Communications, Decatur, Georgia.

Etnier, D.A. & Starnes, W.C. 1993. The fishes of Tennessee. University of Tennessee Press, Knoxville.

Evermann, B. W., & Kendall, W. C. (1897). Descriptions of new or little-known genera and species of fishes from the United States. Bulletin US Fisheries Commission (1897), 17, 125-133.

Evermann, B. W., & Kendall, W. C. (1900). Check-list of the fishes of Florida. US Government Printing Office.

- Fisher, D. K., Röwer, P., Marsh, C. E., Daniels, J., Ebensperger, U., and S. Roberson. 2003. Coastal River Basins Water Resource Assessment, An Evaluation of Water Use and Availability in Seven Coastal River Basins. Water Policy Working Paper #2003-005. Georgia Water Planning and Policy Center, Georgia Southern University, Daniel Geographic Solutions, May 2003.
- Fishnet2. 2015. Alabama shad historical collection data in the Gulf of Mexico: 1957-2014. www.fishnet2.net. Accessed November 13, 2015.
- Fodrie, F. J., & Heck Jr, K. L. (2011). Response of coastal fishes to the Gulf of Mexico oil disaster.
- Foley, P. 1997. Extinction models for local populations. In I. A. Hanski and M. E. Gilpin (eds.), Metapopulation biology: ecology genetics and evolution, p. 215- 246. Academic Press; San Diego, California.
- Freeman, M. C., Bowen, Z. H., Bovee, K. D., & Irwin, E. R. (2001). Flow and habitat effects on juvenile fish abundance in natural and altered flow regimes. Ecological Applications, 11(1), 179-190.
- Freeman, M. C., Irwin, E. R., Burkhead, N. M., Freeman, B. J., & Bart, H. L. (2005). Status and conservation of the fish fauna of the Alabama River system. In American Fisheries Society Symposium (Vol. 45, p. 557). American Fisheries Society.
- Galat, D. L., Berry, C. R., Gardner, W. M., Hendrickson, J. C., Mestl, G. E., Power, G. J., & Winston, M. R. (2005). Spatiotemporal patterns and changes in Missouri River fishes.
- Georgia Department of Natural Resources. 2008. Total Maximum Daily Load Evaluation for Twenty-Five Stream Segments in the Chattahoochee River Basin For Sediment (Biota Impacted). Report submitted to the U.S. Environmental Protection Agency. January 2008.
- Georgia Department of Natural Resources. 2005. Fisheries Section annual report, fiscal year 2005. Georgia Department of Natural Resources, Social Circle.
- Gilpin, M.E., and Soulé, M.E. 1986. Minimum viable populations: The processes of species extinctions. In M. Soulé (Ed.). Conservation biology: The science of scarcity and diversity, pp. 13-34. Sunderland Mass: Sinauer Associates.
- Graf, W. L. (1999). Dam nation: A geographic census of American dams and their large-scale hydrologic impacts. Water resources research, 35(4), 1305-1311.
- Groot, C., and L. Margolis (eds). 1991. Pacific salmon life histories. Univ. B.C. Press; Vancouver, B.C. 564p. for the conservation of salmonids. Fish. Bull. 97:213-226.

- Gu, W., & Swihart, R. K. (2004). Absent or undetected? Effects of non-detection of species occurrence on wildlife-habitat models. *Biological Conservation*, 116(2), 195-203.
- Guillory, V., & Hutton, G. (1982, November). A survey of bycatch in the Louisiana gulf menhaden fishery. In Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies (Vol. 36, pp. 213-223).
- Gunning, G.E. & Suttkus, R.D. 1990. Decline of the Alabama shad, *Alosa alabamae*, in the Pearl River, Louisiana – Mississippi: 1963–1988. *Southeastern Fishes Council Proceedings* 21: 3–4.
- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., & Kramer, E. (1997). 1994 Annual Status Report. A Summary of Fish Data in Six Reaches of the Upper Mississippi River System (No. 97-P007). US Geological Survey. Onalaska, WI Environmental Management Technical Center.
- Hall, C. J., Jordaan, A., and Frisk, M. G. 2012. Centuries of anadromous forage fish loss: consequences for ecosystem connectivity and productivity. *BioScience*, 62(8), 723-731.
- Hanski, I.A. and M. Gilpin. 1991. Metapopulation dynamics: brief history and conceptual domain. *Biological Journal of the Linnean Society* 42: 3–16.
- Harrington, J. M., Myers, R. A., & Rosenberg, A. A. (2005). Wasted fishery resources: discarded by-catch in the USA. *Fish and Fisheries*, 6(4), 350-361.
- Hastings, R. W., Turner, D. A., & Thomas, R. G. (1987). The fish fauna of Lake Maurepas, an oligohaline part of the Lake Pontchartrain Estuary. *Northeast Gulf Sci.*, 9(2), 89-98.
- Hattala, K. A., R. V. Jesian, and R. Allen. 1996. Summary of the 1995 tagging study of American shad along coastal New York. Report to the Atlantic States Marine Fisheries Commission, Shad and River Herring Technical Committee, Millbrook, New York.
- Hedrick, P. W. 2001. Conservation genetics: where are we now? *Trends in Ecology & Evolution* 16:629-636.
- Heise, R. J., Slack, W. T., Ross, S. T., & Dugo, M. A. (2005). Gulf sturgeon summer habitat use and fall migration in the Pascagoula River, Mississippi, USA. *Journal of Applied Ichthyology*, 21(6), 461-468.
- Herald, E. S., & Strickland, R. R. (1949). An annotated list of the fishes of Homosassa Springs, Florida. *Journal of Florida Academy of Sciences*, 11, 99-109.
- Hilborn, R., T. P. Quinn, D. E. Schindler, and D. E. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proc. Natl. Acad. Sci. USA* 100:6564–6568.

Hildebrand, S. F., Rivas, L. R., & Miller, R. R. (1963). Family Clupeidae. Fishes of the western North Atlantic, part, 3, 257-454.

Homan, J. M. and R. D. Barwick. 2011. Relationship between discharge and electrofishing catch-per-unit-effort of largemouth bass in the Neuse River, North Carolina. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies 64(2010): 184-189.

Howell, P., & Simpson, D. (1994). Abundance of marine resources in relation to dissolved oxygen in Long Island Sound. *Estuaries*, 17(2), 394-402.

Hutchings, J. A., & Reynolds, J. D. (2004). Marine fish population collapses: consequences for recovery and extinction risk. *BioScience*, 54(4), 297-309.

Ickes, B. 2014. The situational context for fish passage issues in the Upper Mississippi River System. International Conference on Engineering and Ecohydrology for Fish Passage. June 11, 2014). http://scholarworks.umass.edu/fishpassage_conference/2014/June11/9

Ingram, T.R. 2007. Age, growth, and fecundity of Alabama shad (*Alosa alabamae*) in the Apalachicola River, Florida. A thesis presented to the graduate school of Clemson University. May 2007.

Intergovernmental Panel on Climate Change (IPCC) Fifth Assessment Report (AR5). 2014. <http://ipcc.ch/report/ar5/>

Jordan, D. S., & Evermann, B. W. (1896). A check-list of the fishes and fishlike vertebrates of North and Middle America. US Government Printing Office.

Jorgensen, J. C., Ward, E. J., Scheuerell, M. D., & Zabel, R. W. (2016). Assessing spatial covariance among time series of abundance. *Ecology and Evolution*, 6(8), 2472-2485.

Juanes, F., S. Gephard, and K. Beland. 2004. Long-term changes in migration timing of adult Atlantic salmon (*Salmo salar*) at the southern edge of the species' distribution. *Canadian Journal of Fisheries and Aquatic Sciences* 61:2392–2400.

Kern, A. I. (2016). Habitat Use by Telemetered Alabama Shad during the Spawning Migration in the Lower Flint River, Georgia (Doctoral dissertation, Auburn University).

Kern, A.I., and S.M. Sammons. 2015. Movement of Transported Alabama Shad in the Alabama River, AL (2014-2015). Final Report Submitted to Alabama department of Natural Resources. December 18, 2015.

Knight, C.L. and R.W. Hastings. 1994. Fishes of the Tangipahoa River system, Mississippi and Louisiana. *Tulane Studies in Zoology and Botany* 29: 141-150.

- Koel, T. M. (2004). Spatial variation in fish species richness of the upper Mississippi River system. *Transactions of the American Fisheries Society*, 133(4), 984-1003.
- Kreiser, B. and J. Schaefer. 2009. Population structure and trophic ecology of the Alabama shad (*Alosa alabamae*) in the Pascagoula Drainage, Mississippi. Final Report. University of Southern Mississippi, Hattiesburg, MS. 26 pp.
- Kujawinski, E. B., Kido Soule, M. C., Valentine, D. L., Boysen, A. K., Longnecker, K., & Redmond, M. C. 2011. Fate of dispersants associated with the Deepwater Horizon oil spill. *Environmental science & technology*, 45(4), 1298-1306.
- Kynard, B., Horgan, M., Pugh, D., Henyey, E., & Parker, T. (2008). Using juvenile sturgeons as a substitute for adults: a new way to develop fish passage for large fish. In American Fisheries Society Symposium (Vol. 6, pp. 000-000).
- Lande, R. (1988). Genetics and demography in biological conservation. *Science*, 241(4872), 1455-1460.
- Lande, R. 1993. Risks of population extinction from demographic and environmental stochasticity and random catastrophes. *Am. Nat.* 142:911-927.
- Larinier, M., & Marmulla, G. (2004). Fish passes: types, principles and geographical distribution—an overview. In Proceedings of the second international symposium on the management of large rivers for fisheries (Vol. 2, pp. 183-206). RAP Publication.
- Laurence, G. C., and R. W. Yerger. 1967. Life history studies of the Alabama shad, *Alosa alabamae*, in the Apalachicola River, Florida. Master's thesis. Florida State University, Tallahassee.
- Laurence, G., and R. Yerger. 1966. Life history studies of the Alabama shad, *Alosa alabamae*, in the Apalachicola River, Florida. Proceedings of the 20th annual conference of the Southeastern Association of Game and Fish Commissioners. pp 260-273.
- Layher, W.G., J.W. Phillips, and B.S. Crabb. 1999. Surveys of the Saline River and tributaries of the Alabama Shad (*Alosa alabamae*). Report submitted to the Ouachita National Forest, Hot Springs, AR.
- Lehner, B., Liermann, C. R., Revenga, C., Vörösmarty, C., Fekete, B., Crouzet, P., ... & Nilsson, C. (2011). High-resolution mapping of the world's reservoirs and dams for sustainable river-flow management. *Frontiers in Ecology and the Environment*, 9(9), 494-502.
- Limburg, K. E., & Waldman, J. R. (2009). Dramatic declines in North Atlantic diadromous fishes. *BioScience*, 59(11), 955-965.

- Lindsay, H. L. (1983). Updated survey of the fishes of the Poteau River, Oklahoma and Arkansas. In Proceedings of the Oklahoma Academy of Science (Vol. 63, pp. 42-48).
- Lovett, R. A. (2014). Dam removals: Rivers on the run. *Nature*, 511, 521-523.
- Mace, P., A. Bruckner, N. Daves, J. Field, J.U. Hunter, N. Kohler, R. Kope, S. Lieberman, M. Miller, J. Orr, R. Otto, T. Smith, N. Thompson, J. Lyke, and A. Blundell. 2002. NMFS/Interagency Working Group Evaluation of CITES Criteria and Guidelines. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-F/SPO-58. 70 pp.
- Matthews, W. J. (1986). Fish faunal structure in an Ozark stream: stability, persistence and a catastrophic flood. *Copeia*, 388-397.
- Matthews, W. J., & Robison, H. W. (1988). The distribution of the fishes of Arkansas: a multivariate analysis. *Copeia*, 358-374. Matthews et al 1988
- May, E.B. 1973. Extensive oxygen depletion in Mobile Bay, Alabama. *Limnology and Oceanography* 18:353–366.
- McBride, R. S. (2000). Florida's shad and river herrings (*Alosa* species): a review of population and fishery characteristics.
- McCauley, R.W., and F.P. Binkowski. 1982. Thermal tolerance of the Alewife. *Trans Am Fish Soc* 111:389-391.
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42, 156p. Available on the Internet at: <http://www.nwfsc.noaa.gov/publications/techmemos/tm42/tm42.pdf>
- McNutt, M. K., R. Camilli, G. D. Guthrie, P. A. Hsieh, V. F. Labson, W. J. Lehr, D. Maclay, A. C. Ratzel, and M. K. Sogge. 2011. Assessment of Flow Rate Estimates for the Deepwater Horizon/Macondo Well Oil Spill. Flow Rate Technical Group Report to the National Incident Command, Interagency Solutions Group. US Department of the Interior.
- Meadows, D.W., Adams, S.B. & Schaefer, J.F. 2008. Threatened fishes of the world: *Alosa alabamae* Jordan and Evermann, 1896 (Clupeidae). *Environmental Biology of Fishes* 82: 173–174.
- Meffe, G.K., and C.R. Carroll. 1994. Principles of Conservation Biology. Sinauer Associates, Inc.; Sunderland, Massachusetts. 600p.
- Mettee, M. F., O'Neil, P. E., Shepard, T. E., & McGregor, S. W. (2005). A study of fish movements and fish passage at Claiborne and Millers Ferry Locks and Dams on the Alabama River, Alabama. Open-File Report, 507, 29.

Mettee, M. F., P. E. O'Neil, and J. M. Pierson. 1996. Fishes of Alabama and the Mobile Basin. Oxmoor House, Birmingham, Alabama. 820 pp.

Mettee, M.F., and P.E. O'Neil. 2003. Status of Alabama shad and skipjack herring in Gulf of Mexico drainages. In: Limburg, K., and J. Waldman (eds) Biodiversity, status, and conservation of the world's shads. American Fisheries Society Symposium 35, Bethesda, MD, p 157-170.

Mickle, P. F., Franks, J. S., Kreiser, B. R., Gray, G. J., Higgs, J. M., & Havrylkoff, J. M. (2015). First Molecular Verification of a Marine-collected Specimen of *Alosa alabamae* (Teleostei: Clupeidae). *Southeastern Naturalist*, 14(3), 596-601.

Mickle, P.F. 2006. Life history of the juvenile Alabama shad, *Alosa alabamae*, in the Pascagoula River. M.S. Thesis, University of Southern Mississippi, Hattiesburg, pp 54.

Mickle, P.F. 2010. Life history and habitat use of the juvenile Alabama shad, *Alosa alabamae*, in northern Gulf of Mexico rivers. Ph.D. Thesis. University of Southern Mississippi, Hattiesburg, Mississippi.

Mickle, P.F., J.F. Schaefer, D.A. Yee, S.B. Adams. 2013. Diet of Juvenile Alabama Shad (*Alosa Alabamae*) in Two Northern Gulf of Mexico Drainages. *Southeastern Naturalist* 12(1):233-237.

Mickle, P.F., J.F. Schaefer, S.B. Adams, B.R. Kreiser. 2010. Habitat use of age 0 Alabama shad in the Pascagoula River drainage, USA. *Ecology of Freshwater Fish* 19:107-115.

Middleton, D.A.J., and R.M. Nisbet. 1997. Population persistence times: Estimates, models and mechanisms. *Ecol. Apps.* 7:107-117.

Mills, P. A., Hocutt, C. H., & Stauffer, J. R. (1978). The pre-impoundment fish fauna of Big River (Meramec Drainage, Missouri). *Missouri. Acad. Sci. Trans.*, 12, 25-35.

Mills, J.F. 1972. Biology of the Alabama shad in Northwest Florida. Florida Department of Natural Resources Marine Research Laboratory Technical Series 68.

Missouri Department of Conservation (MDC). 2015. Missouri Fish and Wildlife Information System: Summary Information for Alabama shad.

http://mdc4.mdc.mo.gov/applications/mofwis/Mofwis_Summary.aspx?id=0100135

Missouri Department of Conservation (MDC). 2001. Gasconade River Watershed Inventory and Assessment. Sullivan, Missouri. May 2001.

Moen, C. T., Scarneccia, D. L., & Ramsey, J. S. (1992). Paddlefish movements and habitat use in Pool 13 of the upper Mississippi River during abnormally low river stages and discharges. *North American Journal of Fisheries Management*, 12(4), 744-751.

- Molle, Francois; Wester, P.; Hirsch, P.; Jensen, J. R.; Murray-Rust, H.; Paranjpye, V.; Pollard, S.; van der Zaag, P. 2007. River basin development and management. In Molden, David (Ed.). Water for food, water for life: a Comprehensive Assessment of Water Management in Agriculture. London, UK: Earthscan; Colombo, Sri Lanka: International Water Management Institute (IWMI). pp.585-625.
- Moody, R. M., Cebrian, J., & Heck Jr, K. L. (2013). Interannual recruitment dynamics for resident and transient marsh species: evidence for a lack of impact by the Macondo oil spill. *PloS one*, 8, e58376.
- Moore, G. A. (1973). Discovery of fishes in Oklahoma (1852-1972). In Proceedings of the Oklahoma Academy of Science (Vol. 53, pp. 1-26).
- Moring, J. 2005. Recent trends in anadromous fishes. Pages 25–42 in R. Buchsbaum, J. Pederson, and W. E. Robinson, editors. The decline of fisheries resources in New England: evaluating the impact of overfishing, contamination, and habitat degradation. Massachusetts Institute of Technology, MIT Sea Grant College Program, MITSG 05-5, Cambridge.
- Moyer, G.R. 2012. Estimation of genetic diversity, genetic structure, and effective population size for Alabama shad (*Alosa alabamae*) in the Apalachicola, Florida. USFWS Conservation Genetic Laboratory. Final Report. July 2012.
- Murawski, S. A., Hogarth, W. T., Peebles, E. B., & Barbeiri, L. (2014). Prevalence of external skin lesions and polycyclic aromatic hydrocarbon concentrations in Gulf of Mexico fishes, post-Deepwater Horizon. *Transactions of the American Fisheries Society*, 143(4), 1084-1097.
- Musick, J. A. (1999). Criteria to define extinction risk in marine fishes: the American Fisheries Society initiative. *Fisheries*, 24(12), 6-14.
- NatureServe. 2008. NatureServe Explorer: Alabama shad. Version 7.1. NatureServe, Arlington, Virginia.
http://www.natureserve.org/explorer/servlet/NatureServe?sourceTemplate=tabular_report.wmt&loadTemplate=species_RptComprehensive.wmt&selectedReport=RptComprehensive.wmt&summaryView=tabular_report.wmt&elKey=104407&paging=home&save=true&startIndex=1&nextStartIndex=1&reset=false&offPageSelectedElKey=104407&offPageSelectedElType=species&offPageYesNo=true&post_processes=&radiobutton=radiobutton&selectedIndexes=104407
- Niklitschek, E. J. and D. H. Secor. 2009a. Dissolved oxygen, temperature and salinity effects on the ecophysiology and survival of juvenile Atlantic sturgeon in estuarine waters: I. Laboratory Results, *Journal of Experimental Marine Biology and Ecology*, Volume 381,

Supplement 1, Ecological Impacts of Hypoxia on Living Resources, 1 December 2009,
Pages S150-S160.

Niklitschek, E. J. and D. H. Secor. 2009b. Dissolved oxygen, temperature and salinity effects on the ecophysiology and survival of juvenile Atlantic sturgeon in estuarine waters: II. Model development and testing, *Journal of Experimental Marine Biology and Ecology*, Volume 381, Supplement 1, Ecological Impacts of Hypoxia on Living Resources, 1 December 2009, Pages S161-S172.

NMFS, GADNR, USFWS, TNC, SCCFWRU, FFWCC, and ADCNR. 2012. Alabama Shad Restoration and Management Plan for the Apalachicola-Chattahoochee-Flint River Basin.

O'Connell, M. T., Cashner, R. C., & Schieble, C. S. (2004). Fish assemblage stability over fifty years in the Lake Pontchartrain estuary; comparisons among habitats using canonical correspondence analysis. *Estuaries*, 27(5), 807-817.

O'Connell, M. T., O'Connell, A. M., & Hastings, R. W. (2009). A Meta-analytical Comparison of Fish Assemblages from Multiple Estuarine Regions of Southeastern Louisiana Using a Taxonomic-Based Method. *Journal of Coastal Research*, 101-112.

Office of Technology Assessment (OTA). 1995. Chapter 5: The Federal Role in Fish Passage at Hydropower Facilities. In: *Fish Passage Technologies: Protection at Hydropower Facilities*. OTA-ENV-641 GPO stock #052-003-01450-5. September 1995.

Oliver, T., Roy, D. B., Hill, J. K., Brereton, T., & Thomas, C. D. (2010). Heterogeneous landscapes promote population stability. *Ecology letters*, 13(4), 473-484.

Onorato, D. P., Angus, R. A., & Marion, K. R. (1998). Comparison of a small-mesh seine and a backpack electroshocker for evaluating fish populations in a north-central Alabama stream. *North American Journal of Fisheries Management*, 18(2), 361-373.

Onorato, D., Angus, R. A., & Marion, K. R. (2000). Historical changes in the ichthyofaunal assemblages of the upper Cahaba River in Alabama associated with extensive urban development in the watershed. *Journal of Freshwater Ecology*, 15(1), 47-63.

Page, L. M., Cummings, K. S., Mayer, C. A., Post, S. L., & Retzer, M. E. (1992). Biologically significant Illinois streams: an evaluation of the streams of Illinois based on aquatic biodiversity. INHS Center for Biodiversity 1992 (1).

Parmesan, C. (2006). Ecological and evolutionary responses to recent climate change. *Annual Review of Ecology, Evolution, and Systematics*, 637-669.

Pattillo, M. E., T. E. Czapla, D. M. Nelson, and M. E. Monaco. 1997. Distribution and abundance of fishes and invertebrates in Gulf of Mexico estuaries, Volume II: Species life history summaries. *Estuarine Living Marine Resources Program Report No. 11*.

National Oceanic and Atmospheric Administration/National Ocean Service Strategic Environmental Assessments Division, Silver Springs, Maryland. 377pp.

Pearson, W. D., & Pearson, B. J. (1989). Fishes of the Ohio River.

Pejchar, L., & Warner, K. (2001). A river might run through it again: criteria for consideration of dam removal and interim lessons from California. *Environmental Management*, 28(5), 561-575.

Pellet, J., & Schmidt, B. R. (2005). Monitoring distributions using call surveys: estimating site occupancy, detection probabilities, and inferring absence. *Biological Conservation*, 123(1), 27-35.

Pennington, C.H., H.L. Schramm, Jr., M.E. Potter, and M.P. Farrell. 1980. Aquatic habitat studies on the lower Mississippi River, river mile 480 to 530. Report 5, Fish Studies-pilot report. Environmental and Water Quality Operational Studies. Misc. Paper E-80-1. U.S. Army Corps of Engineers, Vicksburg, Mississippi. 45 pp.

Pfleiger, W.L. 1997. The fishes of Missouri. Missouri Department of Conservation, Jefferson City, Missouri. 372 pp.

Pierce, R. B., D. W. Coble, and S. D. Corley. 1985. Influence of river stage on shoreline electrofishing catches in the upper Mississippi River. *Transactions of the American Fisheries Society* 114: 857-860.

Pierson, J.M., W.M. Howell, R.A. Stiles, M.F. Mettee, P.E. O'Neil, R.D. Suttkus, and J.S. Ramsey. 1989. Fishes of the Cahaba River system in Alabama. Geological Survey of Alabama, Biological Resources Division, 1989.

Poff, N. L., & Hart, D. D. (2002). How Dams Vary and Why It Matters for the Emerging Science of Dam Removal An ecological classification of dams is needed to characterize how the tremendous variation in the size, operational mode, age, and number of dams in a river basin influences the potential for restoring regulated rivers via dam removal. *BioScience*, 52(8), 659-668.

Pörtner, H. O., & Peck, M. A. (2010). Climate change effects on fishes and fisheries: towards a cause-and-effect understanding. *Journal of Fish Biology*, 77(8), 1745-1779.

Pringle, C. M., Freeman, M. C., & Freeman, B. J. (2000). Regional Effects of Hydrologic Alterations on Riverine Macrobiota in the New World: Tropical-Temperate Comparisons. *BioScience*, 50(9), 807-823.

Quinn, T. P., & Adams, D. J. (1996). Environmental changes affecting the migratory timing of American shad and sockeye salmon. *Ecology*, 1151-1162.

- Rabalais, N.N., R.E. Turner, and W.J. Wiseman, Jr. 2002. Gulf of Mexico hypoxia, a.k.a. "The Dead Zone." *Annual Review of Ecology and Systematics* 33:235–263.
- Reeves, G. H., L. E. Benda, K. M. Burnett, P. A. Bisson, and J. R. Sedell. 1995. A disturbance based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. Pages 334-349 in J. L.
- Richter, B. D., & Thomas, G. A. (2007). Restoring environmental flows by modifying dam operations. *Ecology and society*, 12(1), 12.
- Riggs, C. D., & Bonn, E. W. (1959). An annotated list of the fishes of Lake Texoma, Oklahoma and Texas. *The Southwestern Naturalist*, 157-168.
- Robison, H. W., and T. M. Buchanan. 1988. *Fishes of Arkansas*. University of Arkansas Press, Fayetteville, Arkansas. 536 pp.
- Rooker, J. R., Kitchens, L. L., Dance, M. A., Wells, R. D., Falterman, B., & Cornic, M. (2013). Spatial, temporal, and habitat-related variation in abundance of pelagic fishes in the Gulf of Mexico: Potential implications of the Deepwater Horizon Oil Spill. *PloS one*, 8(10), e76080.
- Ruhl, J. B. 2003. Equitable Apportionment of Ecosystem Service: New Water Law for a New Water Age. Delivered at the Florida State University College of Law forum on "The Future of the Apalachicola-Chattahoochee-Flint River System: Legal, Policy, and Scientific Issues". November 5, 2003.
- Rutherford, D. A., A. A. Echelle, and O. E. Maughan. 1992. Drainage-wide effects of timber harvesting on the structure of stream fish assemblages in southeastern Oklahoma. *Transactions of the American Fisheries Society* 121:716-728.
- Sammons, S. M. 2013. Spawning population size, upstream passage, and behavior of Alabama Shad at/above Jim Woodruff Lock and Dam, Apalachicola River, Florida, 2013. Report to Georgia Department of Natural Resources, Social Circle, Georgia.
- Sammons, S. M. 2014. Spawning population size, upstream passage, and behavior of Alabama Shad at/above Jim Woodruff Lock and Dam, Apalachicola River, Florida, 2014. Report to Georgia Department of Natural Resources, Social Circle, Georgia.
- Sammons, S.M., and S.P. Young. 2012. Spawning population size, upstream passage, and behavior of Alabama shad at/above Jim Woodruff Lock and Dam, Apalachicola River, Florida. Annual Report presented to Georgia Department of Natural Resources.

Scavia, D., Field, J. C., Boesch, D. F., Buddemeier, R. W., Burkett, V., Cayan, D. R., ... & Reed, D. J. (2002). Climate change impacts on US coastal and marine ecosystems. *Estuaries*, 25(2), 149-164.

Schaffler, J. J., Young, S. P., Herrington, S., Ingram, T., & Tannehill, J. (2015). Otolith Chemistry to Determine Within-River Origins of Alabama Shad in the Apalachicola–Chattahoochee–Flint River Basin. *Transactions of the American Fisheries Society*, 144(1), 1-10.

Schindler, D. E., Hilborn, R., Chasco, B., Boatright, C. P., Quinn, T. P., Rogers, L. A., & Webster, M. S. (2010). Population diversity and the portfolio effect in an exploited species. *Nature*, 465(7298), 609-612.

Schlosser, I.J., and P.L. Angermeier. 1995. Spatial variation in demographic processes of lotic fishes: conceptual models, empirical evidence, and implications for conservation. In J.L. Nielsen (ed.), *Evolution and the aquatic ecosystem: defining unique units in population conservation*, p. 392-401. Am. Fish. Soc. Symp. Bethesda, Maryland.

Scott-Denton, E., P. Cryer, M. Duffy, J. Gocke, M. Harrelson, D. Kinsella, J. Nance, J. Pulver, R. Smith, and J. Williams. 2012. Characterization of the US Gulf of Mexico and South Atlantic penaeid and rock shrimp fisheries based on observer data. *Marine Fisheries Review*, 74(4), 1-27.

Simcox, B. (2012). Migratory characteristics and passage efficiency of fishes at two dams on the Alabama River, Alabama (Doctoral dissertation, Auburn University).

Smith, K., J.K. Carlson, C. Horn, and K. Shotts. 2011. Status and Population Viability of the Alabama Shad (*Alosa alabamae*). NOAA Technical Memorandum NMFS-SEFSC-620. August 2011.

Snyder, S. M., Pulster, E. L., Wetzel, D. L., & Murawski, S. A. (2015). PAH Exposure in Gulf of Mexico Demersal Fishes, Post-Deepwater Horizon. *Environmental science & technology*, 49(14), 8786-8795.

Southern Environmental Law Center (SELC). 2015a. Tri-State Water Wars (AL, GA, FL). June 16, 2015. <https://www.southernenvironment.org/cases-and-projects/tri-state-water-wars-al-ga-fl>

Southern Environmental Law Center (SELC). 2015b. Tri-State Water Wars (AL, GA, FL): Background. <https://www.southernenvironment.org/cases-and-projects/fact-sheets/tri-state-water-wars-al-ga-fl-background>

Stackhouse, R. A. 1982. A subsequent study of the fishes of the Saline River, south central Arkansas. Unpublished M.S. Thesis. Northeast Louisiana Univ., Monroe, 142 pp.

- Stanley, E. H., & Doyle, M. W. (2003). Trading off: the ecological effects of dam removal. *Frontiers in Ecology and the Environment*, 1(1), 15-22.
- Steuck, M. J., Yess, S., Pitlo, J., Van Vooren, A., & Rasmussen, J. (2010). Distribution and relative abundance of upper Mississippi River fishes. Upper Mississippi River Conservation Committee, Onalaska, Wisconsin.
- Swift, C., R. W. Yerger, and P. R. Parrish. 1977. Distribution and natural history of the fresh and brackish water fishes of the Ochlockonee River, Florida and Georgia. Bulletin of Tall Timbers Research Station, Number 20. Tall Timbers Research Station, Tallahassee, Florida. 111 pp.
- Tagatz, M. E. (1961). Reduced oxygen tolerance and toxicity of petroleum products to juvenile American shad. *Chesapeake Science*, 2(1-2), 65-71.
- The Nature Conservancy (TNC). 2010. Florida: Dams and Politics: Can Migrating Fish Survive? <http://www.nature.org/ourinitiatives/regions/northamerica/unitedstates/florida/howwework/apalachicola-river-dams-and-politics-can-migrating-fish-survive.xml>.
- Tilman, D., and C.L. Lehman. 1997. Habitat destruction and species extinctions. In D. Tilman and P. Kareiva (eds.), *Spatial Ecology*, p. 233-249. Princeton University Press; Princeton, New Jersey.
- Townsend, C. H. (1902). Statistics of the Fisheries of the Mississippi River and Tributaries. U.S. Fish Commission Report for 1901. pp 659-740.
- Tripp, S.J. and J.E. Garvey. 2011. Fish Passage in the Upper Mississippi River System. Southern Illinois University. Carbondale, IL. January 2011.
- U.S. Bureau of Reclamation (USBR). 2015. Hydropower Program: The History of Hydropower Development in the United States. July 1, 2015. <http://www.usbr.gov/power/edu/history.html>
- U.S. Forest Service (USFS). 2016. Ecoregions. <http://www.fs.fed.us/rm/ecoregions/>
- U.S. Global Research Group (USGRG). 2014. Climate Change Impacts in the United States. Chapter 17: Southeast and the Caribbean. <http://nca2014.globalchange.gov/report/regions/southeast#intro-section-2>
- University of Georgia (UGA). 2002. Reservoirs in Georgia: Meeting Water Supply Needs While Minimizing Impacts. River Basin Policy and Science Center. May 2002.

- USACE. 2006. Missouri River Mainstem Reservoir System Master Water Control Manual Missouri River Basin. Omaha District. Paper 71.
<http://digitalcommons.unl.edu/usarmyceomaha/71>
- USFWS. 2007. Amended Biological Opinion and Conference Report on the USACE, Mobile District, Exceptional Drought Operations for the Interim Operating Plan for Jim Woodruff Dam and the Associated Releases to the Apalachicola River. November 15, 2007.
- USFWS. 2008. Annual Report, Fiscal Year 2008. Panama City Fisheries Resource Office. May 2009.
- USFWS. 2009a. Welcome to Gulf Coast Fisheries Coordination Office.
<http://www.fws.gov/gulfcoast/>
- USFWS. 2009b. Gulf Coast Striped Bass.
<http://www.fws.gov/welaka/gulfcoaststripedbass.html>
- USFWS. 2010. Effects of Oil on Wildlife and Habitat. Fact sheet. June 2010.
<http://digitalmedia.fws.gov/cdm/ref/collection/document/id/1728>
- USFWS. 2012. Osage River Lock and Dam #1 Report Completed. January 25, 2012.
<https://www.fws.gov/fieldnotes/regmap.cfm?arskey=31775>
- USFWS. 2015. The ACF and ACT Basins: Water Allocation and Natural Resource Protection. March 30, 2015. http://www.fws.gov/athens/rivers/ACT_ACF.html
- Wainwright, T. C., & Kope, R. G. (1999). Methods of extinction risk assessment developed for US West Coast salmon. ICES Journal of Marine Science: Journal du Conseil, 56(4), 444-448.
- Waters, J. M., Epifanio, J. M., Gunter, T., & Brown, B. L. (2000). Homing behaviour facilitates subtle genetic differentiation among river populations of *Alosa sapidissima*: microsatellites and mtDNA. Journal of Fish Biology, 56(3), 622-636.
- Wilcox, D.B. 1999. Fish Passage Through Dams on the Upper Mississippi River. Project Status Report 99-05. U.S. Geological Survey Long Term Resource Monitoring Program.
- Williams Jr, E. H., & Gaines Jr, J. L. (1974). Acanthocephala of fishes from marine and brackish waters of the Mobile Bay region. Journal of Marine Sciences of Alabama, 2, 135-148.
- Williams, T.H., B.C. Spence, W. Duffy, D. Hillemeier, G. Kautsky, T.E. Lisle, M. McCain, T.E. Nickelson, E. Mora, T. Pearson. 2008. Framework for Assessing the Viability of Threatened Coho Salmon in the Southern Oregon/Northern California Coast

Evolutionarily Significant Unit. NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-432. December 2008.

Winston, M. R., Taylor, C. M., & Pigg, J. (1991). Upstream extirpation of four minnow species due to damming of a prairie stream. *Transactions of the American Fisheries Society*, 120(1), 98-105.

Wood, C.C. 1995. Life history variation and population structure in sockeye salmon. In J. L. Nielsen (ed.), *Evolution and the aquatic ecosystem: defining unique units in population conservation*. Am. Fish. Soc. Symp. 17:195-216.

Yoccoz, N. G., Nichols, J. D., & Boulinier, T. (2001). Monitoring of biological diversity in space and time. *Trends in Ecology & Evolution*, 16(8), 446-453.

Young, S. P., T. R. Ingram, J. E. Tannehill, and J. J. Isely. 2012. Passage of spawning Alabama Shad at Jim Woodruff Lock and Dam, Apalachicola River, Florida. *Transactions of the American Fisheries Society* 141: 881–889.

Young, S.P. 2010. Spawning population size and upstream passage of Alabama shad at Jim Woodruff Lock and Dam, Apalachicola River, Florida. Annual Report presented to Georgia Department of Natural Resources. July 2010.

Young, S.P. 2011. Spawning population size, upstream passage, and behavior of Alabama shad at/above Jim Woodruff Lock and Dam, Apalachicola River, Florida. Annual Report presented to Georgia Department of Natural Resources.

Zigler, S. J., Dewey, M. R., Knights, B. C., Runstrom, A. L., & Steingraeber, M. T. (2004). Hydrologic and hydraulic factors affecting passage of paddlefish through dams in the upper Mississippi River. *Transactions of the American Fisheries Society*, 133(1), 160-172.